

Continuous Inkjet


## Videojet SIMPLICiTY™ print sample guide











Font/Lines	Print Sample*		
4x5 Single	ABCDEFG 12345 4X5		
5x5 Single	ABCDEFG 18345 5X5		
4x7 Single	ABCDEFG 12345 4X7		
5x7 Single	ABCDEF6 12345 5X7		
7x9 Single	ABCDEFG 12345 7X9		
9x12 Single	ABCDEFG 12345 9X12		
10x16 Single	ABCDEFG 12345		
16x24 Single	ABCDEFG 123		
25x34 Single	ABCD 12		
4x5 Twin	ABCDEFGHIJKLMNO 1234567890		
5x5 Twin	ABCDEFGHIJKLMNOP 1234567890 5X5 TL		
4x7 Twin	ABCDEFGHIJKLMNOP 1234567890 4X7 TL		
5x7 Twin	ABCDEFGHIJKLMNOP 1234567890 5X7 TL		
7x9 Twin	ABCDEFGHIJKLMNOP 1234567890 7X9 TL		
9x12 Twin	ABCDEFGHIJKLMN 1234567890 9X12 TL		
10x16 Twin	ABCDEFGHIJKLMNOP 1234567890 10X16		
4x5 Three	ABCDEFGHIJKLMNO 1234567890 3 LINES OF PRINT		
5x5 Three	ABCDEFGHIJKL 123567890 SXS TRI LINE		
4x7 Three	ABCDEFGHIJKLMNO 1234567890 4X7 TRI LINE		
5x7 Three	ABCDEFGHIJKLMNO 1234567890 5%7 TRI LINE		
7x9 Three	ABCDEFGHIJKL 1234567890 7X9 TRI LINE		
4x5 Four	ABCDEFGHIJKLMNO 1834567890 4 LINES OF PRINT 4 X 5 GUAD LINE		
5x5 Four	ABCDEFGHIJKLMNO 1234567890 4 LINES OF PRINT 5X5 QUAD LINE		
4x7 Four	ABCDEFGHIJKLMNO 1234567890 4 LINES OF PRINT 4 X 7 QUAD LINE		
5x7 Four	ABCDEFGHIJKLMO 1234567890 4 LINES OF FRINT 5X7 QUAD LINE		
5x5 Five	ABCDEFGHIJKLMNO 1234567890 5 LINES OF PRINT 5 X 5 FIVE LINE 60 MICRON NOZZLE		

Max. line speed for font/lines as shown feet per minute (fpm) / metres per minute (mpm)						
1240/1280	1580 +	1880 +	1880 HR	1880 UHS		
640 / 195	1,097 / 334	1,097 / 334	1296 / 395	1,665 / 508		
535 / 163	914 / 279	914 / 279	1,078 / 329	1,338 / 423		
548 / 167	960 / 293	960 / 293	862 / 263	1,111 / 339		
456 / 139	800 / 244	800 / 244	719 / 219	925 / 282		
236 / 72	356 / 108	535 / 163	588 / 179	835 / 254		
256 / 78	256 / 78	256 / 78	462 / 141	554 / 169		
194 / 59	194 / 59	305 / 93	230 / 70	398 / 121		
95 / 29	95 / 29	95 / 29	66 / 20	125 / 38		
56 / 17	56 / 17	56 / 17	NA	NA		
308 / 94	308 / 94	453 / 138	410 / 125	835 / 254		
256 / 78	256 / 78	377 / 115	340 / 104	694 / 212		
233 / 71	321 / 98	453 / 138	289 / 88	625 / 191		
194 / 59	266 / 81	377 / 115	239 / 73	522 / 159		
95 / 29	125 / 38	230 / 70	129 / 39	297 / 91		
85 / 26	85 / 26	85 / 26	NA	NA		
56 / 17	56 / 17	56 / 17	NA	NA		
115 / 35	151 / 46	366 / 111	236 / 72	588 / 179		
95 / 29	125 / 38	305 / 93	196 / 60	490 / 149		
108 / 33	108 / 33	274 / 84	161 / 49	436 / 133		
89 / 27	89 / 27	230 / 70	134 / 41	362 / 110		
56 / 17	56 / 17	121 / 37	NA	NA		
102 / 31	102 / 31	233 / 71	NA	NA		
85 / 26	85 / 26	194 / 59	NA	NA		
66 / 20	66 / 20	163 / 50	NA	NA		
56 / 17	56 / 17	136 / 42	NA	NA		
56 / 17	56 / 17	56 / 17	NA	NA		

Videojet SIMPLICiTY™ print sample guide							
Description	Print Sample*						
Choice of 40, 50, 60 or 70-micron nozzle	ABCDEFGHIJKLMNOP 123456789 5X7 TL ABCDEFG123 40-micron nozzle (1880 HR only)	FICEFIGHTUKLMNOP 123456789 5X7 TL.  FICEFICIAL CONTROL OF THE SECOND SEC					
Options to print standard sized codes or bigger, bolder codes for higher contrast	FIBCDEFGHIJKLMHOP 123456789 5X7 TL FIBCDEFG123 60 Micron nozzle	ABCDEFGHIJKLMNOP 123456789 5X7 TL ABCDEFG123 70 Micron nozzle					
Linear bar codes Wide range of bar codes for automatic identification. UPC-A&E EAN-8&13; Code 128 A, B&C EAN-128; Code 39; Interleaved 2 of 5	CODE 39R  Code 39 with human readable  1	0021081998111380  Interleaved 2 of 5  PC-A					
2D Codes Wide range of standard 2D DataMatrix and QR (Codes shown were printed by the 1880 HR and max. line speed refers to 1880 HR only. Additional matrices available depending on model.)	16x16 16x36 24x2 96fpm / 29mpm 96fpm / 29mpm 51fpm / 1 DataMatrix Codes	== . ==					
Multi-stroke Highlight words or numbers and make codes darker and bolder	5X7 TWIN LINE DOUBLE STROKE						
Tower print Stacked and automatic reverse	T O W XMEO-H XMEO-H E R						
Inverted / mirrored / inversed characters Accommodates product lines going any direction and products in various orientations on the production line	INVERTED MESSAGE NON-WILKOUSED WESSAGE NON-INVERSED WESSAGE NON-INVERSED WESSAGE						
Unique-character languages	有效期至 2028年08月 Chinese そいと 5・1)V/	•					
Graphics and logos Create custom logos on PC and upload via USB	VIDEOJET	· A S - A					


<sup>\*</sup>The print sample codes shown in this guide are for illustrative purposes only. Actual coding is dependent on environment, application, raster and substrate. The Videojet SIMPLICiTY™ continuous inkjet printers use automatic select function to determine the suitable raster for the actual print speed. Please ask your local Videojet representative to see print samples for your specific application.

## Peace of mind comes as standard

Videojet Technologies is a world-leader in the product identification market, providing in-line printing, coding and marking products, application specific fluids and product LifeCycle Support.

Our goal is to partner with our customers in the consumer packaged goods, pharmaceutical, and industrial goods industries to improve their productivity, to protect and grow their brands, and to stay ahead of industry trends and regulations. With our customer application experts and technology leadership in Continuous Inkjet (CIJ), Thermal Inkjet (TIJ), Laser Marking, Thermal Transfer Overprinting (TTO), case coding and labelling, and wide array printing, Videojet has more than 400,000 printers installed worldwide.

Our customers rely on Videojet products to print on over ten billion products daily. Customer sales, application, service and training support is provided by direct operations with over 4,000 team members in 26 countries worldwide. In addition, Videojet's distribution network includes more than 400 distributors and OEMs, serving 135 countries.



## Call +91 75063 45599 Email marketing.india@videojet.com or visit www.videojet.in

Videojet Technologies (I) Pvt Ltd Godrej Two, Unit no. 403 - A, 4th Floor, Pirojshanagar, Eastern Express Highway, Vikhroli East, Mumbai - 400079 © 2024 Videojet Technologies Inc. — All rights reserved.

Videojet Technologies Inc.'s policy is one of continued product improvement.

We reserve the right to alter design and/or specifications without notice.

Part No. SL000701 pg-simplicity-printers-en-in-0224

